



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/601,246	06/20/2003	Thomas L. Grey	212/492	6700
23371	7590	05/11/2006	EXAMINER	
CROCKETT & CROCKETT 24012 CALLE DE LA PLATA SUITE 400 LAGUNA HILLS, CA 92653			SHAFFER, RICHARD R	
			ART UNIT	PAPER NUMBER
			3733	

DATE MAILED: 05/11/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/601,246	Applicant(s) GREY ET AL.	
	Examiner Richard R. Shaffer	Art Unit 3733	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 24 April 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 7-15 is/are pending in the application.
- 4a) Of the above claim(s) 12-15 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 7-11 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 20 June 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>6/20/2003</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Election/Restrictions

Applicant's election without traverse of Species III (claims 7-11) in the reply filed on April 24th, 2006 is acknowledged. However, the claims 7-11 additionally recite a lever, which is not shown in Figure 7, but rather Figure 10. The examiner feels this was a simple mistake by applicant and has corrected the election to be of the species shown in Figure 10 readable on claims 7-11.

Claims 12-15 are withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected species, there being no allowable generic or linking claim. Election was made **without** traverse in the reply filed on April 24th, 2006.

Specification

The abstract of the disclosure is objected to because it does not contain between 50 and 150 words and is currently too brief to provide for a clear understanding of the novelty of the device. Correction is required. See MPEP § 608.01(b).

Double Patenting

Claims 7-11 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1, 2, 4, and 5 of U.S. Patent No. 6,361,550 as well as claims 5-6 of U.S. Patent No. 6,582,449. Although the conflicting claims are not identical, they are not patentably distinct from each other because the difference lies in the fact that the patent claims include many more elements and is thus more specific. The previous patents are in effect a "species" of the "generic" invention of claims 7-11. It

Art Unit: 3733

has been held that the generic invention is "anticipated" by the "species." See *In re Goodman*, 29 USPQ2d 2010 (Fed. Cir. 1993).

Claim Rejections - 35 USC § 102

Claims 7-11 are rejected under 35 U.S.C. 102(b) as being anticipated by Wilk et al (US Patent 5,269,767). Wilk et al disclose a device (**Figures 1-4**) comprising: a housing (**10**) having an aperture; the aperture having a nodule (**20/34**) disposed within it; a strap (**12/14**) for attaching the housing (**10**) to a body; the nodule is sized such that it can apply pressure to an acupuncture point on the wrist while still avoiding adjacent areas of the wrist (the eye is smaller than the wrist); a solenoid (**Column 4, Lines 3-17**) can be disposed within the housing and connected to a lever (**42**) for transmitting force to the nodule; a flexible and disposable sheet (**24**) is found around the housing (**10**); means for controlling pressure are present (**32 and 66**) and all solenoids are inherently capable of having their force controlled; a power supply (**60**) and controller (**62, 32**) are also present. In regard to claim 10, the solenoid is inherently capable of operating within the range of 1/3 Hz to 1/5 Hz.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Richard R. Shaffer whose telephone number is 571-272-8683. The examiner can normally be reached on Monday-Friday during (7am-5pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eduardo Robert can be reached on 571-272-4719. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3733

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Richard Shaffer
May 2nd, 2006



EDUARDO C. ROBERT
SUPERVISORY PATENT EXAMINER